

## A1 Specifications

	Powertrain	1.3-MT
	Model code	SQR7130S12
<b>Emission</b>		
	EU II	●
<b>Safety &amp; security</b>		
Airbag	Driver and front passenger airbags	●
Seat belt	Front 3-point seat belts with ELR	●
	Front 3-point seat belts with pretensioner	●
	Rear outer 3-point seat belts with ELR	●
	Rear middle 2-point seat belt	●
Brake	Front discs brake	●
	Rear drum brake	●
	Energy-absorbing steering column	●
	ABS+EBD	●
Anti-theft	Engine immobilizer	●
	Body anti-theft	●
	Four door jam alarm	●
	Dual tone horn	●
Foglight	Front foglights	●
	Rear foglights	●
	High mounted brakelamp	●
	Right reversing light	●
<b>Technical</b>		
	Overall length (mm)	3700
	Overall width (mm)	1578



Overall height (mm)	1527(1564)
Wheelbase (mm)	2390
Turning radius (m)	4.75
Weights - curb weight / gross vehicle weight rating (kg)	1040/1415
The accelerate time for 0-100km/h (s)	16
Max. speed (km/h)	156
Engine code	SQR473F
Gearbox code	QR513
Transmission - number of speeds / type	5MT
Maximum power (kw/rpm)	62/5750
Maximum torque (n.m/rpm)	122/3500~4500
Engine - liters / (cc)	1297
Engine bore (mm)	73
Engine stroke (mm)	77.5
Engine configuration - number of cylinders	4 in line
Engine compression ratio	10.8:1
Number of valves per cylinder	4
Engine valve gear type	DOHC
Seating capacity	5
Number of doors	5
Driven wheels	Front
Fuel - type / other fuel type	Gasoline
Fuel tank capacity (L)	43
Wheel	175/60 R14 tyre
Front suspension-type/stabilizer bar/spring type/wheel dependence	Macpherson strut with cylindrical coil spring ,dual-acting tube damper and stabilizer bar



Rear suspension-type/stabilizer bar/spring type/wheel dependence

Semi-independent trailing arm type with track bar, cylindrical coil spring and dual-tube damper