



EQ6380LF



EQ6380LF 技术参数 Mini Bus Technical Parameter

车型代号 Engine Code		L01	L02	L03
发动机 Engine Parameter	发动机型号 Engine Model	EQ474i	EQ465i-21	EQ465
	型式 Type	直列四缸、四冲程、水冷、顶置凸轮 Four Cylinder, Four Stroke, Water Cooling, Top Cam		
	排量 Displacement(ml)	1310	1051	970
	最大功率/马力 Max Power(Kw)/Horsepower(hp)	60.5/82.3	38.5/52.4	31.5/42.9
性能参数 Performance Parameter	最高车速 Max speed(km/h)	135	120	105
	限定条件下百公里耗油量 Economical Fuel Consumption Under Limited Condition (L/100kms)	≤5.8	≤5.5	≤5.8
质量参数 Weight Parameter	总质量 Total Weight (kg)	1576	1560	1400
	整备质量 Curb Weight (kg)	1030	1015	1010
	载客人数 Seating Capacity (person)	7/8		
尺寸参数 Dimension Parameter	总长 × 总宽 × 总高 Overall Size (L*W*H) (mm)	3795 × 1560 × 1925		
	轴距 Wheelbase(mm)	2515		
	前/后轮距 Fr./Rr. Tread(mm)	1310 / 1310		
轮胎规格 Tire Specification		165/70R14, 155/R13		



More Safety and More Comfortable

Figure : Unique figure design , the luxurious head , smooth outline , spacious interior room , oversize bumper , fashionable crystal combination light give you complete new feeling of driving .

Painting technology : Advanced painting technology ensures the quality of our products .

Engine : Manufactured by our own factory , and with our own brand name DONGFENG(EQ),we insist on strict quality control and make it the best .

Safety design : Lengthened wheelbase and tread , wider and thicker tire make the vehicle driver in a more stable and safer way .The convex designed head and the one time moulded anti-impact beam of the cab help to absorb the impact energy .

Vertical placement of the steering wheel (similar to the saloon car) reduces the injury to the driver from the steering wheel while being impacted .The anti-impact poles in the doors offer driver and passenger more safety .

Comfort design : The powerful engine ,reasonable match of front & rear overhang ,thickened chassis crossbeam(22)mm more space for driver and passenger will bring more comfort .



EQ1020TF

Load More Goods Earn More Money

Figure: Fashionable outline design and luxurious interior decoration of our vehicle , It fully expresses the trend of luxury and fashion.

Loading capacity: Powerful engine , lengthened wheelbase and tread , enlarged carriage , and thickened chassis crossbeam enable the vehicle to contain and load more goods .
Achieving Euro Standard Certificate



EQ1020TF 技术参数 Mini Truck Technical Parameter

车型代号 Engine Code	T03	T02	T01	
发动机型号 Engine Model	EQ474i	EQ465i-21	EQ465	
发动机 Engine Parameter	型式 Type 直列四缸、四冲程、水冷、顶置凸轮 Four Cylinder, Four Stroke, Water Cooling, Top Cam			
	电喷汽油发电机 Petrol Engine With Electric Control Fuel Injection		化油器汽油发动机 Carburetor Control Fuel Injection	
	排量 Displacement(ml)	1310	1051	970
性能参数 Performance Parameter	最大功率/马力 Max Power(kw)/Horsepower(hp)	60.5/82.3	38.5/52.4	31.5/42.9
	最高车速 Max speed(km/h)	135	120	105
质量参数 Weight Parameter	限定条件下百公里耗油量 Economical Fuel Consumption Under Limited Condition (L/100kms)	≤5.8	≤5.5	≤5.8
	整备质量 Curb Weight (kg)	915	900	900
	额定载重量 Loading Capacity (kg)	900	810	810
尺寸参数 Dimension Parameter	载客人数 Seating Capacity (person)	2		
	总长 × 总宽 × 总高 Overall Size (L*W*H) (mm)	3980 × 1560 × 1825		
	货箱内部尺寸 (长 × 宽 × 高) Carriage Inner Size(L*W*H)	2300 × 1500 × 335		
	轴距 Wheelbase(mm)	2515		
前/后轮距 Fr./Rr. Tread(mm)	1310/1310			
轮胎规格 Tire Specification	165/70R14, 155/R13			





EQ6410LF 技术参数 Mini Mpv Technical Parameter

车型代号 Engine Code		K01	K02	K03
发动机 Engine Parameter	发动机型号 Engine Model	EQ474i	EQ465i-21	EQ465
	型式 Type	直列四缸、四冲程、水冷、顶置凸轮 Four Cylinder, Four Stroke, Water Cooling, Top Cam		
	排量 Displacement(ml)	1310	1051	970
	最大功率/马力 Max Power(kw)/Horsepower(hp)	60.5/82.3	38.5/52.4	31.5/42.9
性能参数 Performance Parameter	最高车速 Max speed(km/h)	135	120	105
	限定条件下百公里耗油量 Economical Fuel Consumption Under Limited Condition (L/100kms)	≤5.8	≤5.5	≤5.8
质量参数 Weight Parameter	整备质量 Curb Weight (kg)	1710	1695	1685
	额定载重量 Loading Capacity (kg)	1130	1115	1105
	载客人数 Seating Capacity (person)	7/8		
尺寸参数 Dimension Parameter	总长×总宽×总高 Overall Size (L*W*H) (mm)	4070 × 1560 × 2105		
	轴距 Wheelbase(mm)	2515		
	前/后轮距 Fr./Rr. Tread(mm)	1310 /1310		
轮胎规格 Tire Specification		165/70R14, 155/R13		

Multi-purpose Vehicle ,Your Ideal Choice

We believe outside fashionable style ,spacious interior space and strong loading capacity are not only all of your selection , you may also need some more surprises ,thus DFM mini MPV is your ideal choice ,multi-purpose, multi-flexibility.

Figure: International trend ,modern feeling and luxury are not only possessed by sedan, but also mini vehicle ,DFM mini MPV can give you completely new feeling.

The exceeding body size of DFM mini MPV can not only make you comfortable ,but also can load more and bigger goods for driving and carrying.

Exceeding body size may not have strong loading capacity , but DFM mini MPV make the dream of combing the two together comes true .DFM mini MPV is well known for its good practicability , and it can be used for multi-purpose , heavy loading at fast speed .





EQ5021XXYF



EQ5021XXYF 技术参数 Mini Van Technical Parameter

车型代号 Engine Code	Y01	Y02	Y03	
发动机型号 Engine Model	EQ474i	EQ465i-21	EQ465	
发动机 Engine Parameter	型式 Type 直列四缸、四冲程、水冷、顶置凸轮 Four Cylinder, Four Stroke, Water Cooling, Top Cam			
	电喷汽油发电机 Petrol Engine With Electric Control Fuel Injection		化油器汽油发动机 Carburetor Control Fuel Injection	
	排量 Displacement(ml)	1310	1051	970
性能参数 Performance Parameter	最大功率/马力 Max Power(kw)/Horsepower(hp)	60.5/82.3	38.5/52.4	31.5/42.9
	最高车速 Max speed(km/h)	135	120	105
质量参数 Weight Parameter	整备质量 Curb Weight (kg)	1005	990	980
	额定载重量 Loading Capacity (kg)	700	570	550
	载客人数 Seating Capacity (person)	2		
尺寸参数 Dimension Parameter	总长×总宽×总高 Overall Size (L*W*H) (mm)	3795 × 1560 × 1925		
	货箱内部尺寸 (长×宽×高) Carriage Inner Size(L*W*H)	2000 × 1320 × 1350		
	轴距 Wheelbase(mm)	2515		
	前/后轮距 Fr./Rr. Tread(mm)	1310/1310		
轮胎规格 Tire Specification	165/70R14, 155/R13			

Where There Is Space There Is Fortune

Figure : The luxurious head ,smooth outline and flowery color ,it incarnates the fashion and elegance ,character but not stink ,passion and softness .

Safety design: The cab is convex designed which help to absorb the impact energy .The steering wheel is changed from semi-horizontal placement into vertical placement(similar to the saloon car)which will reduce the injury to the driver from the steering wheel while being impacted .The anti-impact pole in front doors give the driver more safety .

Engine : the top quality DONGFENG engine brings infinit power; and the Euro II emission is more environmental and energy saving .
Powerful engine and bigger cargo box can load more goods .





- ◆ Unique design leads fashionable tide
- ◆ Short body displays economic value
- ◆ Powerful engine ensures comfort and safety
- ◆ Exquisite inner exhibits humane care



EQ6360LF 技术参数 Mini Bus Technical Parameter

		EQ465	EQ465i-21/ EQ465i2-30
发动机 Engine Parameter	发动机型号Engine Model	EQ465	
	型式 Type	四冲程、水冷、多球形燃烧室、8气门、单顶置凸轮轴、分电器系统OCH、SOHC、4 Stroke, Water Cooling、Multi-ball Firebox、8 Valves、Single Top Camshaft, Electrical System	
	排量 Displacement(L)	0.97 L	
	最大功率/马力Max Power(kw)/Horsepower (hp)	31.5/42.9/5300r/min	
性能参数 Performance Parameter	最大扭矩/转速Maximum torque(N.m)/Rotating speed (r/min)	69N.m/3000~4000r/min	
	最高车速 Max speed(km/h)	100	
	限定条件下百公里耗油量 Economical Fuel Consumption Under Limited Condition (L/100kms)	≤6.2	
质量参数 Weight Parameter	总质量Total Weight (kg)	1565	
	整备质量 Curb Weight (kg)	985	
	载客人数Seating Capacity (person)	7/8	
尺寸参数 Dimension Parameter	总长×总宽×总高 Overall Size (L*W*H) (mm)	3640×1560×1925	
	轴距Wheelbase(mm)	2515	
	前/后轮距Fr./Rr. Tread(mm)	1310/1310	
	轮胎规格 Tire Specification	165/70R14, 155/R13	
	油箱容量Fuel tank capacity	40L	





- ◆ Double cab, more humanized design
- ◆ Strengthened loading containers provide security assurance
- ◆ Optional containers meet your multiple choices



EQ1021NF 技术参数 Mini Truck Technical Parameter

	发动机型号Engine Model	EQ474i/EQ474i-30	EQ465i-21/ EQ465i2-30
发动机 Engine Parameter	型式 Type	四冲程、水冷、单顶置凸轮轴、多点电子控制燃油喷射式, 4 Stroke, Water Cooling, Single Top Camshaft, Petrol engine with electric control fuel jet	四冲程、水冷、单顶置凸轮轴、多点电子控制燃油喷射式, 4 Stroke, Water Cooling, Single Top Camshaft, Petrol engine with electric control fuel jet
	排量 Displacement(L)	1.3 L	1.05 L
	最大功率/马力Max Power(kw)/Horsepower (hp)	60.5/82.3/6000r/min	38.5/52.4/5200r/min
	最大扭矩/转速Maximum torque(N.m)/Rotating speed (r/min)	102N.m/3000~3500r/min	83N.m/3000~3500r/min
性能参数 Performance Parameter	最高车速 Max speed(km/h)	110	100
	限定条件下百公里耗油量 Economical Fuel Consumption Under Limited Condition (L/100kms)	≤6.2	≤5.8
质量参数 Weight Parameter	总质量Total Weight (kg)	1780	
	整备质量 Curb Weight (kg)	965	
	载客人数Seating Capacity (person)	5	
尺寸参数 Dimension Parameter	总长×总宽×总高 Overall Size (L*W*H) (mm)	Out type : 3980×1560×1860 (with 1.4 carriage) Another type : 4160×1560×1860 (with 1.7 carriage)	
	货箱内部尺寸 (L*W*H) (mm) Carriage inner size	1.4m carriage : 1390×1400×430 1.7m carriage : 1650×1440×340	
	轴距Wheelbase(mm)	2515	
	前/后轮距Fr./Rr. Tread(mm)	1310/1310	
	轮胎规格 Tire Specification	165/70R14, 155/R13	
	油箱容量Fuel tank capacity	40L	

