

COOLBEAR

Technical Parameters		
	Model	Coolbear
Dimension and weight	Length × width × height (mm)	3968×1695×1634
	Wheelbase(mm)	2499
	Minimum ground clearance (mm)	133(full load)
	Kerb weight (kg)	1185
	Seating capacity	5
	Fuel tank capacity (L)	45
	Trunk capacity(L)	600/2426
Power system	Engine	In-line 4-cylinder, water cooled, dual overhead camshafts, VVT technology, gasoline engine
	Displacement (L)	1.497
	Compression ratio	10.5:1
	Maximum Power (Kw/rpm)	77/6000
	Maximum torque (Nm/rpm)	138/4200
	Emission standard	Euro IV
	Maximum speed (km/h)	160
	Fuel consumption (L/100km)	4.7(60km/h)
Chassis	Suspension	Macpherson strut front suspension, trailing arm and reverse beam combination rear suspension
	Brake type (front/rear)	Disc/drum
	Tire specification	185/65 R15

Note:All information presented herein is based on the data available at the time of posting, which is subject to change as design improvements are made. Please confirm update of the data with a sales representative.

Equipments			
Equipments	COOLBEAR		
	Luxury	Elite	Sunroof
Engine	GW4G15 engine		
Body color rear view mirror	●	●	●
Body color front bumper	●	●	●
Body color rear bumper	●	●	●
Electroplate doorknob	●	●	●
Roof mounted antenna	●	●	●
Green heat-protecting glass(front windshield/front door)	●	●	●

Dark glass(rear door/rear side window/ rear windshield)	☒	●	●
Sunroof	☒	☒	●
Steel hub	●	☒	☒
Alloy hub	☒	●	●
High Strength safety vehicle body	●	●	●
Anticollision safety bumper inside of the door	●	●	●
Driver's air bag	●	●	●
Copilot air bag	●	●	●
ABS+EBD	●	●	●
Load limit front seat belt	●	●	●
Three points rear seats safety belt	●	●	●
Alarm for unbuckling the safety seat belts	●	●	●
Front fog lamp	●	●	●
Rear fog lamp	●	●	●
Rear door children's safety lock	●	●	●
Highly mounted brake lamp	●	on the tail wing	on the tail wing
Reverse radar	☒	●	●
Energy absorbing adjustable steering column	●	●	●
Electrical accelerator pedal	●	●	●
Steering wheel lock function	●	●	●
Front light height adjustable	☒	●	●
LED Combined Rearlamp	●	●	●
Engine anti-thief system	●	●	●
Overspeed alarm over 120km/h	○	○	○
Four door power window	●	●	●
Remotly-controlled Central door lock	●	●	●
Intellectual remote control key	●	●	●
Manual rear view mirror	●	●	☒
Power rear view mirror	☒	☒	●
Steering wheel sound control	☒	●	●
Rear windsheild wiper/power defogger	●	●	●
Power steering	●	●	●
Throttle wire open device	●	●	●
Alarm system for head light not turning off	●	●	●
Intellectual electromagnetic back door opening system	●	●	●
12V spare power supply interface	●	●	●
Electronic accelerator	●	●	●
Manual air conditioner with pollen filter	●	●	☒
Power air conditioner	☒	☒	●
Single CD with MP3 interface	●	●	☒

Single-disk DVD	☒	☒	●
Sound system	6 loud speakers	6 loud speakers	12 loud speakers
GPS	☒	☒	◌
On-vehicle Bluetooth System	☒	☒	●
Leather steering wheel	☒	☒	●
PU steering wheel	●	●	☒
Fabric seats	●	●	☒
Leather seats+electric heating	☒	☒	●
Front seats height adjustable head pillow	●	●	●
Rear seats height adjustable head pillow	●	●	●
Sun sheild board with vanity mirror(both for driver and copilot)	●	●	●
Combined instruments	●	●	●
Anti-dizzy inner rear view mirror	●	●	☒
Anti-dizzy inner rear view mirror with bluetooth	☒	☒	●
Inner lamp	●	●	●
Read lamp	●	●	●
Cup holder	●	●	●

"●"Standard Equipment; "☒"None standard Equipment; "◌"Optional Equipment;

All information presented herein is based on the data available at the time of posting, which is subject to change as Great Wall Motor is constantly improving the design, paint and equipment on its models. Please insure that the information you rely on is update.