

COWRY

Technical Parameters				
Model	CC6460VM00	2.0 MT	2.0 AT	2.4AT
Dimension and mass	Length × width × height (mm)	4574×1704×1845		
	Wheelbase(mm)	2825		
	Front Tread /Rear Tread (mm)	1480/1466		
	Kerb Mass (kg)	1510	1610	1615
	Total Mass (kg)	2110	2140	2145
	Fuel tank capacity (L)	60		
	Trunk capacity(L)	2000/1350(ROTATING THE TWO ROWS REAR SEATS / ROTATING THE LAST ROW REAR SEAT)		
	Maximum Passenger Capacity	7		
	Door Number	5		
Engine	Model	Mitsubishi 4G63S4N	Mitsubishi 4G69S4M	
	Engine Type	Four-cylinder, in-line, water cooling, overhead camshaft,6-valve, intelligent variable valve, four-stroke,electronic control multipoint gasoline injection engine		
	Drive Mode	Front		
	Displacement	2	2.4	
	Compression ratio	9.5:1		
	Maximum Power(Kw/rpm)	105/6000	120/(5500-6000)	
	Maximum torque(N.m/rpm)	185/(3000-4500)	200/(3500-4500)	
	Transmission Type	5-gear manual	4-speed automatic	
Parameters	Maximum speed (Km/h)	170	160	
	Minimum ground clearance (mm)	108		
	Minimum Turning Diameter (m)	11.5		
	Fuel Consumption (L/100km)(90km/h)	7.75	8.87	8.96
	Emission standard	EuropeIV		
Chassis	Suspension Type	Spring column suspension (McPherson type)/Compound trailing arm semi-independent suspension		
	Tire specification	195/65 R15		
	Brake type (front/rear)	Disc/drum		

Note:All information presented herein is based on the data available at the time of

posting, which is subject to change as design improvements are made. Please confirm update of the data with a sales representative.

Equipments					
Model configuration		Two-wheel drive			
		Practical	Comfort	Luxury	Elite
Engine		4G63S4N			
Exterior equipment	Rhombic crystal combination headlight	●	●	●	●
	Fashionable unusual-shape wide tail lamp	●	●	●	●
	Steel hub	●	⊗	⊗	⊗
	Aluminum alloy hub	⊗	●	●	●
	Intelligent double sunroof	⊗	⊗	⊗	●
	Green glass	●	●	●	⊗
	Grey glass	⊗	⊗	⊗	●
	Tail wing	●	●	●	●
Safety equipment	Front seat dual air bag	Main air bag	●	●	●
	ABS+EBD	●	●	●	●
	Anti-collision safety bar inside of the door	●	●	●	●
	Pre-tensioned 3-point front seat belts	●	●	●	●
	Middle seat belts	●	●	●	●
	Rear seat belts	●	●	●	●
	Alarm for the driver not buckling the seat belt	●	●	●	●
	Child safety lock at rear doors	●	●	●	●
	Front / rear fog lamp	●	●	●	●
	High mounted stop lamp	●	●	●	●
	Reversing radar	⊗	●	⊗	⊗
	Reversing camera system	⊗	⊗	●	●
	Engine immobilizer system with password	○	○	○	○

Functional equipment	Middle child seat fixing device	●	●	●	●
	Driver's seat adjustable in six directions	●	●	●	●
	Four-door power window	●	●	●	●
	Four-door power window anti-pinch function	☒	●	●	●
	Remote control central door lock	●	●	●	●
	Electric central door lock	☒	☒	☒	☒
	Electric exterior rear-view mirror	●	●	●	☒
	Electric exterior rear-view mirror with heating wire defroster	☒	☒	☒	●
	Rear windshield with electric defroster	●	●	●	●
	Power steering	●	●	●	●
	Illumination height adjustable front combination headlight	☒	●	●	●
	Height adjustable steering wheel	●	●	●	●
	Alarm for not removing the key	●	●	●	●
	Alarm for not turning off the headlight	●	●	●	●
	Multi-stage front windshield wiper	●	●	●	●
	Rear windshield wiper	●	●	●	●
	High-efficiency, environmentally friendly, automatic air conditioner	●	●	●	●
	Comfort equipment	Fabric seats	●	●	☒
Genuine leather seats		☒	☒	●	●
Central handrail of front seats		●	●	●	●
Foldable middle and rear seats		●	●	●	●
Front glasses box		●	●	●	●
Driver and co-driver's sun shield with vanity mirror		●	●	●	●
Trunk lamp		●	●	●	●
Backlight adjustable combination instrument		●	●	●	●
Front door storage box		●	●	●	●
Mobile ashtray		●	●	●	●
Cup holder		●	●	●	●
Electronic equipment	Single-disc CD player	●	●	☒	☒
	DVD player	☒	☒	●	●
	Kara OK system	☒	☒	☒	●
	Interior and external temperature display	●	●	●	●
	GPS satellite navigation system	☒	☒	☒	●
	12V stand-by power interface	●	●	●	●
"●means standard equipment;☒means not available;○means optional equipment;					

Note:

1. If there isn't DVD player, there aren't Kara OK system, reversing camera system and GPS satellite navigation system.

All information presented herein is based on the data available at the time of posting, which is subject to change as Great Wall