

SOCOOL

Technical Parameters					
Model	CC1026ESD00	CC1036ESK20	CC1026SK	CC1026SEC1	CC1026SC Y-1
Length×width×height (mm)	5095×1725×1745,1725	5095×1800×1780,1800	5095x1725x1725	5095x1725x1710,1730	5095x1800x1780
Cargo-body Inner Dimensions (L × W × H)(mm)	1475×1440×480				
Max. total mass (kg)	2315	2510	2315	2365	2610
Load weight (kg)	480			500	480
Complete Vehicle Kerb Mass(kg)	1510	1705	1510	1540	1805
Wheel base (mm)	3025				
Engine	491QE			GW4D28	
Engine type	Four-stroke, in-line, water-cooling, four-cylinder,multi-point injection petrol motor			4-cylinder, in-line, water-cooling, diesel	
Displacement(cc)	2237			2771	
Rated power(kw/rpm)	78/4600			57/3600	
Max. torque(N.m/rpm)	190/2400-2800			174/2000	
Max. vehicle speed (km/h)	≥130				
Transmission type	mechanical, 5 forward gears				
Suspension	Front: Double cross-arms type, independent suspension with torsion bar springs				
	Rear: Variable-rate, unsymmetrical leaf spring suspension				
type	4×2	4×4	4×2	4×2	4×4
Brake type(front/rear)	Disc/drum				
Tire	P215/75R15	P235/70R16	P215/75R15	P215/75R15	P235/70R16

Note:All information presented herein is based on the data available at the time of posting, which is subject to change as design improvements are made. Please confirm update of the data with a sales representative.

Equipments		
Equipment		Luxury
drive type		4*2/4*4
Engine	491QE Gasoline	●
	GW4D28 Desiel Engine	○
Function	Air conditioner	●
	Ventilation System	○
	Power Window	●
	Power Steering	●
	Mechanical steering	○
	Floor shift hand brake	●
	Sensible loading proportion valve (SABS)	●
	Interior mounted antenna	●
	Remote control central door lock	●
Interior	CD Player with USB and SD interface	○
	Radio with USB interface	●
	Unadjustable steering volume	●
	Adjustable steering volume	○
	Ordinary inner mirror	●
	Reverse Radar	○
	Reading lamp	○
	Door trim panel	●
	Fabric seats	●
	Leather seats	○
	Front Seat belts	●
	Rear Seat belts	●
	Ordinary Steering Column	●
	Leather Steering Column	○
Exterior	Ordinary electroplated rear-view mirror	●
	Power electroplated rear-view mioror	○
	Highly mounted brake lamp	●
	Front and rear bumper	●
	Front fog lamp	●
	Alum-alloy Hubs	●
	Steel Hubs	○
	Real wheel anti-mud panel	●
	Big Wheel Brow	●
	Side steps	●
	Tire (4*2:P215/75R15 4*4:P235/70R16)	●
Spray cargo bed liner	○	

"●"means the part is fitted;"⊗"means the fitment is unavailable "○"means optional equipment

All information presented herein is based on the data available at the time of posting, which is subject to change as Great Wall Motor is constantly improving the design, paint and equipment on its models. Please insure that the information you rely on is

